

RESTAURANT EQUIPMENT WORLD™
A PIERCE SALES COMPANY, INC.



2413 FORSYTH ROAD
ORLANDO, FL 32807
TOLL-FREE (800) 821-9153
OFFICE (407) 679-9004
FAX (407) 679-1699
www.REWonline.com
sales@REWonline.com

JUN 5,2003

QUOTE

Page 1 of 18
REWPIZZA

Project:
Pizza Budget Tool
Your Location
Anytown, US 11111
(407) 679-9004 Fax: (407) 679-9004

From:
REWStaff
RESTAURANT EQUIPMENT WORLD
a Pierce Sales Company, Inc.
2413 Forsyth Road
Orlando, FL 32807
(407) 679-9004 Fax: (407) 679-1699

To:

Dear Prospective Client

Thank you for the opportunity to provide this proposal of equipment for a pizza concept for your location. If this were an actual proposal, copies of specifications would be furnished with this proposal. Following are brief specifications, prices and alternate or optional items. Your actual total must be calculated after your choice of options or you can call us for a revision of this proposal to suit your needs, after you have determined that the project is within your range and you have located a suitable site for which you are negotiating or have signed a lease or purchase. PLEASE NOTE THE PRICES LISTED ARE BUDGET PRICES ONLY FOR GENERAL PLANNING PURPOSES AND ARE NOT INTENDED TO BE FIRM PRICES. ALSO SPECIFIC ITEMS THAT ARE NEEDED WILL VARY BY LOCATION AND BY PURCHASER. ALSO PLEASE BE AWARE THAT THERE ARE MANY OTHER EXPENSES INVOLVED IN OPENING A RESTAURANT SUCH AS ARCHITECTURAL FEES, PERMIT FEES, GENERAL CONTRACTING COSTS, PAYROLL ETC NONE OF WHICH ARE INCLUDED IN THIS BUDGET LISTING OF EQUIPMENT.

Item	Qty	Description	Sell Each	Sell Total
------	-----	-------------	-----------	------------

RESTAURANT EQUIPMENT WORLD™
A PIERCE SALES COMPANY, INC.



2413 FORSYTH ROAD
 ORLANDO, FL 32807
 TOLL-FREE (800) 821-9153
 F 5,050.00 5,050.00
 FAX (407) 679-1699
 www.REWonline.com
 les@REWonline.com

1	1 ea	OVEN, DECK-TYPE PIZZA, GAS-FIRED Bakers Pride Model No. Y-600 Oven, Deck-Type Pizza, Gas-Fired, 60"W x 36"D deck, one 8" high section, with ceramic deck, microslide heat controls range 300-650F, stainless steel exterior finish, 30" painted legs, 120,000 BTU Weight: 1,393.000	Freight:	451.16	451.16
	1 ea	Specify gas type			
	1 ea	Casters, set of 4		235.75	235.75
	1 ea	Dormont 1675 KIT-36" Gas Connector Kit, 3/4" inside diameter, 36" long, with coiled restraining device, full port gas valve and 90 degree street elbow		175.00	175.00
	Extended Total for Item No. 1			5,911.91	
<hr/>					
1.1	1 ea	*** ALTERNATE *** () OVEN, DECK-TYPE PIZZA, GAS-FIRED Bakers Pride Model No. Y-602 Oven, Deck-Type Pizza, Gas-Fired, 60"W x 36"D deck, two 8" high sections, with ceramic decks, microslide heat controls range 300-650F, stainless steel exterior finish, 16" painted legs, 240,000 BTU Weight: 2,653.000	Freight:	859.76	alternate
	1 ea	Specify gas type			alternate
	1 ea	Casters, set of 4		235.75	alternate
	2 ea	Dormont 1675 KIT-36" Gas Connector Kit, 3/4" inside diameter, 36" long, with coiled restraining device, full port gas valve and 90 degree street elbow		175.00	alternate
	Extended Total for Item No. 1.1			11,395.51	
<hr/>					
1.2	1 ea	*** ALTERNATE *** () PIZZA OVEN, DECK-TYPE GAS Bakers Pride Model No. Y-800 Pizza Deck Oven, gas, 66"W x 44"D deck, one 8" high section, with ceramic deck, microslide heat controls range 300°F - 650°F, stainless steel exterior finish, 30" painted legs, 120,000 BTU Weight: 1,604.000	Freight:	673.68	alternate
	1 ea	Natural gas			alternate
	1 ea	Direct vent flue, specify (nc)			alternate
	Extended Total for Item No. 1.2			6,673.68	
<hr/>					
1.3	1 ea	*** ALTERNATE *** () PIZZA OVEN, DECK-TYPE GAS Bakers Pride Model No. Y-802 Pizza Deck Oven, gas, 66"W x 44"D decks, two 8" high sections, with ceramic decks, microslide heat controls range 300°F - 650°F, stainless steel exterior finish, 16" painted legs, 240,000 BTU Weight: 3,084.000	Freight:	1,295.28	alternate
	1 ea	Gas type to be determined			alternate

The full version of this quote can be purchased for a nominal fee from:

www.RestaurantConsultingWorld.com

Please note that prices are subject to change and these numbers are provided for your use as a budgeting tool only.